

DISCLOSURE STATEMENT: SELLER'S DISCLOSURE ALTERNATIVES

This form approved by the Minnesota Association of REALTORS®, which disclaims any liability arising out of use or misuse of this form. © 2021 Minnesota Association of REALTORS®, Minnetonka, MN

1. Date 02/21/2022
2. Page 1 of _____ pages: RECORDS AND
3. REPORTS, IF ANY, ARE ATTACHED AND MADE A
4. PART OF THIS DISCLOSURE

5. Property located at 809 Linden Street S,
 6. City of Northfield, County of Rice,
 7. State of Minnesota, Zip Code 55057 ("Property").

8. **NOTICE:** Sellers of residential property, with limited exceptions, are obligated to satisfy the requirements of MN Statutes
 9. 513.52 through 513.60. **To comply with the statute, Seller must provide either a written disclosure to the**
 10. **prospective Buyer (see Disclosure Statement: Seller's Property Disclosure Statement) or satisfy one of the**
 11. **following two options.** Disclosures made here, if any, are not a warranty or guarantee of any kind by Seller or
 12. licensee(s) representing or assisting any party in this transaction and are not a substitute for any inspections or
 13. warranties the party(ies) may wish to obtain.

14. **(Select one option only.)**

15. 1) **QUALIFIED THIRD-PARTY INSPECTION:** Seller shall provide to prospective Buyer a written report that
 16. discloses material information relating to the real Property that has been prepared by a qualified third party.
 17. "Qualified third party" means a federal, state, or local governmental agency, or any person whom Seller or
 18. prospective Buyer reasonably believes has the expertise necessary to meet the industry standards of practice
 19. for the type of inspection or investigation that has been conducted by the third party in order to prepare the
 20. written report.

21. **Seller shall disclose to prospective Buyer material facts known by Seller that contradict any information**
 22. **that is included in a written report, or material facts known by Seller that are not included in the**
 23. **report.**

24. The inspection report was prepared by Jonathan Fredrickson,
 25. Premier Property Inspections, and dated 2/18/22.

26. Seller discloses to Buyer the following material facts known by Seller that contradict any information included
 27. in the above referenced inspection report. GFCI outlet installed in kitchen 2-25-22,

28. New Kitchen faucet installed on 2/25/22.

29. Bath tub faucet fixed on 2/25/22. All smoke

30. detectors + carbon monoxide detectors installed to code 2/20/22.

31. Railing installed on basement stairs on 2/25/22.

32. Seller discloses to Buyer the following material facts known by Seller that are not included in the above
 33. referenced inspection report.

34. _____

35. _____

36. _____

37. _____

38. 2) **WAIVER:** The written disclosure required may be waived if Seller and prospective Buyer agree in writing.
 39. Seller and Buyer hereby waive the written disclosure required under MN Statutes 513.52 through 513.60.

40. **NOTE:** If both Seller and prospective Buyer agree, in writing, to waive the written disclosure required under
 41. MN Statutes 513.52 through 513.60, Seller is not obligated to disclose ANY material facts of which Seller
 42. is aware that could adversely and significantly affect the Buyer's use or enjoyment of the Property or any
 43. intended use of the Property, other than those disclosure requirements created by any other law.
 44. Seller is not obligated to update Buyer on any changes made to material facts of which Seller is aware that could
 45. adversely and significantly affect the Buyer's use or enjoyment of the Property or any intended use of the
 46. Property that occur, other than those disclosure requirements created by any other law.

47. **Waiver of the disclosure required under MN Statutes 513.52 through 513.60 does not waive, limit, or**
 48. **abridge any obligation for Seller disclosure created by any other law.**



48. Property located at 809 Linden Street S Northfield MN 55057

49. **OTHER REQUIRED DISCLOSURES:**

50. **NOTE:** In addition to electing one of the above alternatives to the material fact disclosure, Minnesota law also
51. requires sellers to provide other disclosures to prospective buyers, such as those disclosures listed below.
52. Additionally, there may be other required disclosures by federal, state, local, or other governmental entities
53. that are not listed below.

54. **A. SUBSURFACE SEWAGE TREATMENT SYSTEM DISCLOSURE:** (A subsurface sewage treatment system
55. disclosure is required by MN Statute 115.55.) (Check appropriate box.)

56. Seller **DOES** **DOES NOT** know of a subsurface sewage treatment system on or serving the above-described
57. real Property. (If answer is **DOES**, and the system does not require a state permit, see Disclosure Statement:
58. Subsurface Sewage Treatment System.)

59. There is a subsurface sewage treatment system on or serving the above-described real Property.
60. (See Disclosure Statement: Subsurface Sewage Treatment System.)

61. There is an abandoned subsurface sewage treatment system on the above-described real Property.
62. (See Disclosure Statement: Subsurface Sewage Treatment System.)

63. **B. PRIVATE WELL DISCLOSURE:** (A well disclosure and Certificate are required by MN Statute 1031.235.)
64. (Check appropriate box(es).)

65. Seller does not know of any wells on the above-described real Property.

66. There are one or more wells located on the above-described real Property. (See Disclosure Statement: Well.)

67. This Property is in a Special Well Construction Area.

68. There are wells serving the above-described Property that are not located on the Property.

69. Comments:

70. _____
71. _____

72. **C. FOREIGN INVESTMENT IN REAL PROPERTY TAX ACT ("FIRPTA"):** Section 1445 of the Internal Revenue Code
73. provides that a transferee ("Buyer") of a United States real property interest must be notified in writing and must
74. withhold tax if the transferor ("Seller") is a foreign person and no exceptions from FIRPTA withholding apply.

75. Seller represents that Seller **IS** **IS NOT** a foreign person (i.e., a non-resident alien individual, foreign corporation,
76. foreign partnership, foreign trust, or foreign estate) for purposes of income taxation. This representation shall
77. survive the closing of any transaction involving the Property described here.

78. **NOTE:** If the above answer is "**IS**," Buyer may be subject to income tax withholding in connection with the
79. transaction (unless the transaction is covered by an applicable exception to FIRPTA withholding). In
80. non-exempt transactions, Buyer may be liable for the tax if Buyer fails to withhold.
81. If the above answer is "**IS NOT**," Buyer may wish to obtain specific documentation from Seller ensuring
82. Buyer is exempt from the withholding requirements as prescribed under Section 1445 of the Internal
83. Revenue Code.

84. Due to the complexity and potential risks of failing to comply with FIRPTA, including Buyer's responsibility
85. for withholding the applicable tax, Buyer and Seller should **seek appropriate legal and tax advice regarding**
86. **FIRPTA compliance, as the respective licensees representing or assisting either party will be unable to**
87. **assure either party whether the transaction is exempt from the FIRPTA withholding requirements.**

89. Property located at 809 Linden Street S Northfield MN 55057

90. **D. METHAMPHETAMINE PRODUCTION DISCLOSURE:**

91. (A methamphetamine production disclosure is required by MN Statute 152.0275, Subd. 2 (m).)

92. Seller is not aware of any methamphetamine production that has occurred on the Property.

93. Seller is aware that methamphetamine production has occurred on the Property.

94. (See Disclosure Statement: Methamphetamine Production.)

95. **E. RADON DISCLOSURE:**

96. (The following Seller disclosure satisfies MN Statute 144.496.)

97. **RADON WARNING STATEMENT:** The Minnesota Department of Health strongly recommends that ALL
98. homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends
99. having the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can
100. easily be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.

101. Every buyer of any interest in residential real property is notified that the property may present exposure to
102. dangerous levels of indoor radon gas that may place occupants at risk of developing radon-induced lung cancer.
103. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading
104. cause overall. The seller of any interest in residential real property is required to provide the buyer with any
105. information on radon test results of the dwelling.

106. **RADON IN REAL ESTATE:** By signing this Statement, Buyer hereby acknowledges receipt of the Minnesota
107. Department of Health's publication entitled **Radon in Real Estate Transactions**, which is attached hereto and
108. can be found at www.health.state.mn.us/communities/environment/air/radon/radonre.html.

109. A seller who fails to disclose the information required under MN Statute 144.496, and is aware of material facts
110. pertaining to radon concentrations in the Property, is liable to the Buyer. A buyer who is injured by a violation of MN
111. Statute 144.496 may bring a civil action and recover damages and receive other equitable relief as determined by
112. the court. Any such action must be commenced within two years after the date on which the buyer closed the
113. purchase or transfer of the real Property.

114. **SELLER'S REPRESENTATIONS:** The following are representations made by Seller to the extent of Seller's actual
115. knowledge.

116. (a) Radon test(s) **HAVE** **HAVE NOT** occurred on the Property.
-----(Check one.)-----

117. (b) Describe any known radon concentrations, mitigation, or remediation. **NOTE:** Seller shall attach the most
118. current records and reports pertaining to radon concentration within the dwelling:

119. Test was performed between 4/02/17 - 8/27/17.
120. Attached report from 9/12/17 indicates
121. level of 4.1 +/- 0.5

122. (c) There **IS** **IS NOT** a radon mitigation system currently installed on the Property.
-----(Check one.)-----

123. If "IS," Seller shall disclose, if known, information regarding the radon mitigation system, including system
124. description and documentation.

125. _____
126. _____
127. _____

128. **F. NOTICE REGARDING AIRPORT ZONING REGULATIONS:** The Property may be in or near an airport safety zone
129. with zoning regulations adopted by the governing body that may affect the Property. Such zoning regulations are
130. filed with the county recorder in each county where the zoned area is located. If you would like to determine if such
131. zoning regulations affect the Property, you should contact the county recorder where the zoned area is located.

133. Property located at 809 Linden Street S Northfield MN 55057
134. **G. NOTICE REGARDING CARBON MONOXIDE DETECTORS:**
135. MN Statute 299F.51 requires Carbon Monoxide Detectors to be located within ten (10) feet from all sleeping
136. rooms. Carbon Monoxide Detectors may or may not be personal property and may or may not be included in the
137. sale of the home.
138. **H. WATER INTRUSION AND MOLD GROWTH:** Studies have shown that various forms of water intrusion affect many
139. homes. Water intrusion may occur from exterior moisture entering the home and/or interior moisture leaving the
140. home.
141. Examples of exterior moisture sources may be
142. • improper flashing around windows and doors,
143. • improper grading,
144. • flooding,
145. • roof leaks.
146. Examples of interior moisture sources may be
147. • plumbing leaks,
148. • condensation (caused by indoor humidity that is too high or surfaces that are too cold),
149. • overflow from tubs, sinks, or toilets,
150. • firewood stored indoors,
151. • humidifier use,
152. • inadequate venting of kitchen and bath humidity,
153. • improper venting of clothes dryer exhaust outdoors (including electrical dryers),
154. • line-drying laundry indoors,
155. • houseplants—watering them can generate large amounts of moisture.
156. In addition to the possible structural damage water intrusion may do to the Property, water intrusion may also result
157. in the growth of mold, mildew, and other fungi. Mold growth may also cause structural damage to the Property.
158. Therefore, it is very important to detect and remediate water intrusion problems.
159. Fungi are present everywhere in our environment, both indoors and outdoors. Many molds are beneficial to humans.
160. However, molds have the ability to produce mycotoxins that may have a potential to cause serious health problems,
161. particularly in some immunocompromised individuals and people who have asthma or allergies to mold.
162. To complicate matters, mold growth is often difficult to detect, as it frequently grows within the wall structure. If you
163. have a concern about water intrusion or the resulting mold/mildew/fungi growth, you may want to consider having
164. the Property inspected for moisture problems before entering into a purchase agreement or as a condition of your
165. purchase agreement. Such an analysis is particularly advisable if you observe staining or any musty odors on the
166. Property.
167. **I. NOTICE REGARDING PREDATORY OFFENDER INFORMATION:** Information regarding the predatory
168. offender registry and persons registered with the predatory offender registry under MN Statute 243.166
169. may be obtained by contacting the local law enforcement offices in the community where the property is
170. located or the Minnesota Department of Corrections at (651) 361-7200, or from the Department of Corrections
171. web site at www.corr.state.mn.us.

173. Property located at 809 Linden Street S Northfield MN 55057

174. **J. SELLER'S STATEMENT:**

175. (To be signed at time of listing.)

176. Seller(s) hereby authorizes any licensee(s) representing or assisting any party(ies) in this transaction to provide
177. a copy of this Disclosure Statement to any person or entity in connection with any actual or anticipated sale of the
178. Property. A seller may provide this Disclosure Statement to a real estate licensee representing or assisting a
179. prospective buyer. The Disclosure Statement provided to the real estate licensee representing or assisting a
180. prospective buyer is considered to have been provided to the prospective buyer. If this Disclosure Statement is
181. provided to the real estate licensee representing or assisting the prospective buyer, the real estate licensee must
182. provide a copy to the prospective buyer.

183. **QUALIFIED THIRD-PARTY INSPECTION:** If Seller has made a disclosure under the Qualified Third-Party
184. Inspection, Seller is obligated to disclose to Buyer in writing of any new or changed facts of which Seller is aware
185. that could adversely and significantly affect the Buyer's use or enjoyment of the Property or any intended use of
186. the Property that occur up to the time of closing. To disclose new or changed facts, please use the Amendment
187. to Disclosure Statement form.

188. **WAIVER:** If Seller and Buyer agree to waive the seller disclosure requirement, Seller is NOT obligated to disclose
189. and will NOT disclose any new or changed information regarding facts.

190. **OTHER REQUIRED DISCLOSURES (Sections A-F):** Whether Seller has elected a Qualified-Third Party Inspection
191. or Waiver, Seller is obligated to notify Buyer, in writing, of any new or changed facts regarding Other Required
192. Disclosures up to the time of closing. To disclose new or changed facts, please use the Amendment to Seller's
193. Disclosure form.

194. Lori Pearson 2/28/22
(Seller) Lori Pearson (Date) (Seller) (Date)

195. **K. BUYER'S ACKNOWLEDGEMENT:**

196. (To be signed at time of purchase agreement.)

197. I/We, the Buyer(s) of the Property, acknowledge receipt of this Seller's Disclosure Alternatives form and agree to
198. the seller's disclosure option selected in this form. I/We further agree that no representations regarding facts have
199. been made, other than those made in this form. This Disclosure Statement is not a warranty or a guarantee of
200. any kind by Seller or licensee representing or assisting any party in the transaction and is not a suitable substitute
201. for any inspections or warranties the party(ies) may wish to obtain.

202. The information disclosed is given to the best of the Seller's knowledge.

203. _____
(Buyer) (Date) (Buyer) (Date)

204. **LISTING BROKER AND LICENSEES MAKE NO REPRESENTATIONS HERE AND ARE**
205. **NOT RESPONSIBLE FOR ANY CONDITIONS EXISTING ON THE PROPERTY.**



RADON MONITORING REPORT

Issued by an Accredited Laboratory



107831-AL, 107830-RT

REPORT NUMBER
4647552: 1

REPORT PAGE 1(2)

REPORT DATE
09/12/2017PRINT DATE
09/12/2017MEASUREMENT PERFORMED FOR
Brian Murphy
809 Linden St S
Northfield MN 55057Brian Murphy
809 Linden St S
Northfield MN 55057BY
MN Radonova Direct Customer
REPORT RECEIVER(S)
Brian Murphy

Description of the measurement

The measurement was performed with a closed alpha-track detector (Radtrak2) following the guidance given in EPA 402-R-92-003.

The detector(s) was exposed between 04/02/2017 - 08/27/2017 .

The detector(s) arrived to Radonova Laboratories AB 09/05/2017. They were measured 09/12/2017 .

Property data and address

809 Linden St S
Northfield MN 55057

Building Id:

Type of building: SF Detached
Building year: 1920
Foundation type: Basement
Purpose of test: Primary Screening

Test data have been given by Brian Murphy

Test results

Detector	Description/Location	Room Type	Floor Level	Radon Conc. pCi/l	Total Radon Exp. pCi-days/l
213897-2	Basement Family Room	Other living area	Basement	4.1 +/- 0.5	

RT000ILN-VI.30 / 2017-05-04 / JO / LB

Comment to the results

Tryggve Rönqvist (Electronically signed)

Signature Radonova Laboratories AB Laboratory Measurement Specialist

This report may only be reproduced in full, unless the issuing laboratory has given prior written approval.

Radonova Inc.
900 Oakmont Lane Suite 207, Westmont IL 60559
Telephone: 331.814.2200 E-mail: help@radonova.com

DISCLAIMER – Radonova Inc. makes no warranty of any kind, express or implied, as regard to the use, operation or analysis of any Radonova Inc. monitor. Radonova Inc. specifically disclaims implied warranties of merchantability and fitness for a particular purpose. Radonova Inc. is not responsible for any damage, including consequential damages, to persons or property resulting from the use of the monitor or the resulting data.

Radon in Real Estate Transactions

All Minnesota homes can have dangerous levels of radon gas. Radon is a colorless, odorless and tasteless **radioactive gas** that can seep into homes from the soil. When inhaled, it can damage the lungs. Long-term exposure to radon can lead to **lung cancer**. About 21,000 lung cancer deaths each year in the United States are caused by radon.

The only way to know how much radon gas has entered the home is to conduct a radon test. MDH estimates 2 in 5 homes exceed the 4.0 pCi/L action level. Whether a home is old or new, **any home can have high levels of radon**.

The purpose of this publication is to educate and inform potential home buyers of the risks of radon exposure, and how to test for and reduce radon as part of real estate transactions.

Disclosure Requirements



Effective January 1, 2014, the Minnesota Radon Awareness Act requires specific disclosure and education be provided to potential home buyers during residential real estate transactions in Minnesota. **Before signing a purchase agreement to sell or transfer residential real property**, the seller shall provide this publication and shall disclose in writing to the buyer:

1. whether a radon test or tests have occurred on the property;
2. the most current records and reports pertaining to radon concentrations within the dwelling;
3. a description of any radon levels, mitigation, or remediation;
4. information on the radon mitigation system, if a system was installed; and
5. a radon warning statement.


 **Minnesota**
Department of Health
INDOOR AIR UNIT

Radon Facts

How dangerous is radon? Radon is the number one cause of lung cancer in non-smokers, and the second leading cause overall. Your risk for lung cancer increases with higher levels of radon, prolonged exposure, and whether or not you are a current smoker or former smoker.

Where is your greatest exposure to radon? For most Minnesotans, your greatest exposure is at home where radon can concentrate indoors.

What is the recommended action based on my results? If the average radon in the home is at or above 4.0 pCi/L, the home's radon level should be reduced. Also, consider mitigating if radon levels are between 2.0 pCi/L and 3.9 pCi/L. Any amount of radon, even below the recommended action level, carries some risk.



MDH Radon Program
PO Box 64975
St Paul, MN 55164-0975
health.indoor@state.mn.us
www.health.state.mn.us/radon
651-201-4601
800-798-9050

Radon Testing

Any test lasting less than three months requires **closed-house conditions**. Keep all windows and doors closed, except for normal entry and exit.

Before testing: Begin closed-house conditions at least 12 hours before the start of the radon test.

During testing: Maintain closed-house conditions during the entire duration of the short-term test. Operate home heating or cooling systems normally during the test. Test for at least 48 hours.

Where should the test be conducted? Any radon test conducted for a real estate transaction needs to be placed in the lowest livable area of the home suitable for occupancy. This is typically in the basement, whether finished or unfinished.

Place the test kit:

- twenty inches to six feet above the floor
- at least three feet from exterior walls
- four inches away from other objects
- in a location where it won't be disturbed
- not in enclosed areas or areas of high heat or humidity

Radon Mitigation

When elevated levels of radon are found, they can be easily reduced by a certified radon mitigation professional.

Radon mitigation is the process used to reduce radon concentrations in buildings. This is done by drawing soil gas from under the house and venting it above the roof. A quality mitigation system should reduce levels to below 4.0 pCi/L, if not lower.

After a radon mitigation system is installed perform an independent short-term test to ensure the reduction system is effective. Operate the radon system during the entire test. This test will confirm low levels in the home. Be sure to retest the house every two years to confirm continued radon reduction.

Radon Warning Statement

"The Minnesota Department of Health strongly recommends that ALL homebuyers have an indoor radon test performed prior to purchase or taking occupancy, and recommends having the radon levels mitigated if elevated radon concentrations are found. Elevated radon concentrations can easily be reduced by a qualified, certified, or licensed, if applicable, radon mitigator.

Every buyer of any interest in residential real property is notified that the property may present exposure to dangerous levels of indoor radon gas that may place the occupants at risk of developing radon-induced lung cancer. Radon, a Class A human carcinogen, is the leading cause of lung cancer in nonsmokers and the second leading cause overall. The seller of any interest in residential real property is required to provide the buyer with any information on radon test results of the dwelling".

How are radon tests conducted in real estate transactions? There are special protocols for radon testing. The two most common ways to test are either using a calibrated continuous radon monitor (CRM) or two-short term test kits used at the same time. The short-term test kits are placed 4 inches apart and the results are averaged.

Continuous Radon Monitor (CRM)

Fastest



Simultaneous Short-term Testing

Second Fastest



All radon tests should be conducted by a certified professional. This ensures the test was conducted properly, in the correct location, and under appropriate building conditions. A list of these radon measurement professionals can be found at MDH's Radon website. If the seller previously conducted testing in a property at or above 4 pCi/L, the home should be mitigated.